



Site 41, Knowsthorpe Way,
Cross Green Industrial Estate, Leeds, LS9 0SW
Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024 e-mail: info@everbuild.co.uk website: www.everbuild.co.uk

## CONSTRUCTION PRODUCTS REGULATION DECLARATION OF PERFORMANCE

No: LEAD/1-CPR/ 2014

Substrate: Anodised aluminium and Mortar M1

Primer: No primer

1. Identification Code	EVERFLEX LEADMATE
1. Identification code	EVERFLEX LEADIVIATE
	Codes: LEAD
2. Type, Batch and/or Serial Number	- For batch number - see packaging
3. Intended use	Sealant for non-structural use in joints in buildings
	and pedestrian walkways Part 1: Sealants for Façade elements
4. Manufacturer	Everbuild Building Products Itd, Site 41, Cross Green
i. Wallardeal el	Industrial Estate, Knowsthorpe Way, Leeds, LS9 0SW
	mustrial Estate, knowstnorpe way, Leeus, LSS 05w
5. Authorised Representative	Not Applicable
6. Assessment and Verification of Constancy	System 3
of Performance	
7. Notified Body and Tasks	GINGER CEBTP Notified Body No. 0074
8. European Technical Assessment	Not Applicable
9. Declared Performance	TO EN15651-1 (2012)
Туре	F EXT-INT
Classification	F12.5E CC
Reaction to Fire	Class E



## **Building & DIY Products You Can Trust**

Site 41, Knowsthorpe Way, Cross Green Industrial Estate, Leeds, LS9 0SW

Telephone: +44 (0) 113 240 3456 Sales: +44 (0) 113 240 2424

Fax: +44 (0) 113 240 0024 e-mail: info@everbuild.co.uk website: www.everbuild.co.uk

	website: www.everbuild.co.uk
Loss of Volume ISO10563	≤25%
Resistance to flow ISO7390	≤3 mm
Adhesion / cohesion properties (-30°C) ISO 8339 modified	≤ 0.9 MPa
Adhesion / cohesion properties at maintained extension (-30°C) ISO 8340 modified	NF
Adhesion/cohesion properties at maintained extension after water immersion (23°C) ISO 10590	NF
Durability ISO 8340, ISO 9047 and ISO 10590	Pass

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. The declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed: I. G. Southerington – Head of Technical

P.R. Thomas – Technical Manager

Dated: Leeds, 23/4/14